




# Product Specification Sheet

<b>Product Name</b>	oYo-Link® SureLight® APC
<b>Catalog #</b>	ATSL002
<b>Lot #</b>	Lot # provided when product shipped
<b>Molar Concentration</b>	33 $\mu$ M
<b>Storage Buffer</b>	1 x PBS
<b>Shipping Condition</b>	This product is shipped as blue liquid with cold gel packs.
<b>Reconstitution</b>	No reconstitution required. Before opening, briefly centrifuge each tube to ensure that the entire solution is at the bottom.
<b>Storage and Stability</b>	The product should be stored at 2-8°C in the dark. Do not freeze.
<b>Conjugation Instructions</b>	<b>Each tube is capable of labeling 100 <math>\mu</math>g of antibody.</b> Please find and follow the Antibody Conjugation User Manual at <a href="https://alphathera.com/user-manuals">https://alphathera.com/user-manuals</a> for conjugation instructions.
<b>Dye Lot #</b>	APC000-24-125 (from Columbia Biosciences)
<b>Fluorescence</b>	Peak excitation (approximate): 653 nm Peak emission (approximate): 660 nm  Normalized fluorescence emission and excitation spectra 
<b>Notes</b>	Disposal of product should be performed in compliance with all applicable federal, state, and local regulations.  This product does not meet hazard classification criteria based on evaluations made by our company under the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

For more information, please visit [www.alphathera.com](http://www.alphathera.com) or contact [support@alphathera.com](mailto:support@alphathera.com)